

IZLAZNI 4ETVEROSTRUKI MODULATOR PAL/CI HD TDX053



Ocjena:Nije još ocjenjeno

Cijena

Cijena: 1028,60 €

[Postavite pitanje o ovom proizvodu](#)

Opis

The TDX quad PAL HD downscale module can take any HD service from the pool, scale the service down to SD format, modulate it in to a PAL signal and distribute it in a PAL services / TV programs from each module equal to 24 PAL services from one cabinet.

5702664920537	
Physical	
Dimensions product (H x D x W)	24 x 162 x 185 mm
Connectors	
Output connector	F-connector
Frequency range	
Output frequency range	47 - 862 MHz
Outputs	
TV-norm	PAL (BIG, I, L, DK), SECAM
TV System	VSB VHF/UHF mono, A2, Nicam
Channel Raster	7,8 MHz
Frequency step	250 kHz
Picture carrier stability	

	< ±30 kHz
Spurious Signals	
	< -60 dB
Output level adjusting	
	+3 ... -17 dB
Output Level System	
	103 dBμV
Output impedance	
	75 ?
Output Return Loss	
	> 10 dB
Differential Gain	
	< 8 %
Differential Phase	
	< 8 °
Group delay	
	< 80 ns
Output Video S/N Ratio	
	? 57 dB
Sound sub carrier	
	5.5 / 5.74 / 6.0 / 6.5 MHz
Sound sub carrier stability	
	Nican/A2: ± 1 kHz, mono: ± 5 kHz
Output Audio S/N Ratio	
	50 dB
CI slots	
	2

Power supply

Power supply current	
	1800 mA
Power supply voltage	
	12 ± 1 V

Temperature and humidity

Temperature - operating	
	-10 ... +50 °C
Temperature - storage	
	-20 ... +70 °C
Humidity - operating	
	20 ... 80 %
Humidity - storage	
	10 ... 90 %

Recenzije

Trenutno nema recenzija za ovaj proizvod.