

IZLAZNI 4ETVEROSTRUKI MODULATOR PAL/CI HD TDX053



Ocjena:Nije još ocjenjeno

Cijena

Cijena: 1028,60 €

[Postavite pitanje o ovom proizvodu](#)

Opis

The TDX quad PAL HD downscale module can take any HD service from the pool, scale the service down to SD format, modulate it in to a PAL signal and distribute it in a PAL services / TV programs from each module equal to 24 PAL services from one cabinet.

5702664920537	
Physical	
Dimensions product (H x D x W)	24 x 162 x 185 mm
Connectors	
Output connector	F-connector
Frequency range	
Output frequency range	47 - 862 MHz
Outputs	
TV-norm	PAL (B/G, I, L, DK), SECAM
TV System	VSB VHF/UHF mono, A2, Nicam
Channel Raster	7,8 MHz
Frequency step	250 kHz
Picture carrier stability	

< ±30 kHz

Spurious Signals

< -60 dB

Output level adjusting

+3 ... -17 dB

Output Level System

103 dBμV

Output impedance

75 ?

Output Return Loss

> 10 dB

Differential Gain

< 8 %

Differential Phase

< 8 °

Group delay

< 80 ns

Output Video S/N Ratio

? 57 dB

Sound sub carrier

5.5 / 5.74 / 6.0 / 6.5 MHz

Sound sub carrier stability

Nicam/A2: ± 1 kHz, mono: ± 5 kHz

Output Audio S/N Ratio

50 dB

CI slots

2

Power supply

Power supply current

1800 mA

Power supply voltage

12 ± 1 V

Temperature and humidity

Temperature - operating

-10 ... +50 °C

Temperature - storage

-20 ... +70 °C

Humidity - operating

20 ... 80 %

Humidity - storage

10 ... 90 %

Recenzije

Trenutno nema recenzija za ovaj proizvod.